Settlement and transaction reports



Copyright © 2016 – 2017 Amazon.com, Inc., or its affiliates.

AMAZON, AMAZON PAYMENTS, and AMAZON.COM are registered trademarks of Amazon.com, Inc. or its affiliates. All other trademarks are the property of their respective owners.

Contents

Introduction	3
Settlement report details	4
Report header	4
Report body	5
Transaction report details	14
Manually requesting reports	14
Using the Amazon Merchant Transport Utility for downloading reports	14
Missing or misdated reports	14
Downloading reports via Amazon MWS Reports API section	15
Step 1: Get a list of generated reports	16
Request parameters	16
Sample response	17
Step 2: Filter the request list (optional)	19
Request parameters	19
Sample response	20
Step 3: Download a report	21
Request parameters	21
Step 4: Acknowledge downloaded reports (optional)	21
Request parameters	22
Sample response	23
For additional information	23

Introduction

Amazon Payments ("Amazon") provides two types of reports, settlement reports and transaction reports, to merchants using Amazon to help support their business processes. This document describes how to access these reports using the Amazon Marketplace Web Service ("Amazon MWS") Reports API section.

Settlement reports

A settlement report provides a detailed breakdown of your Merchant account activity for a given settlement period, and the funds disbursed to you. You can use this report to support your reconciliation processes.

For more information about settlement reports, see <u>Settlement report details</u>.

Transaction reports

Transaction reports provide a list of Amazon objects that were either created or updated due to a state change during the reporting period. You can use transaction reports to synchronize the status of payment objects with your system or perform business analysis such as determine refund rates, authorization declines, and so forth.

For more information about transaction reports, see <u>Transaction report details</u>.

Settlement report details

A settlement report provides a detailed breakdown of your account activity for a given settlement period.

The following tables list the settlement report's data elements.

Report header

Field name	Description	Required	Data format	Example value
SellerId	The Amazon-designated ID associated with your Merchant account.	Yes	Alphanumeric	A1XX111XXX111XXX
SettlementStartDate	Start date and time for	Yes	ISO 8601 format	2015-05-
	the current settlement period.			18T14:37:01-0700
	The maximum date range is 30 days.			
SettlementEndDate	End date and time for	Yes	ISO 8601 format	2015-05-
	the current settlement period.			21T14:37:03-0700
	The maximum date range is 30 days.			

Report body

Field name	Description	Required	Data format	Example value
TransactionPostedDate	Date and time when the transaction was debited or credited to your account.	Yes	ISO 8601 format	2015-05- 18T15:48:50-0000
SettlementId	Amazon-designated identifier for the current settlement period.	Yes	Alphanumeric	5044561311
AmazonTransactionId	Amazon-designated identifier for a transaction.	Conditional. Only present for the following TransactionType values: • Authorization • Capture • Refund • A-to-z Guarantee Claim • Chargeback • Dispute	Alphanumeric	P01-2400747- 7767109-C084595

Field name	Description	Required	Data format	Example value
SellerReferenceId	Merchant-specified Id for a transaction. Corresponds to the CaptureReferenceId or RefundReferenceId provided in Capture, Refund, Dispute, Authorization, or Chargeback operation.	Conditional. Only present for the following TransactionType values if specified by the merchant: Capture Refund Dispute Authorization Chargeback	Alphanumeric	OALP12345678

Field name	Description	Required	Data format	Example value
TransactionType	 Type of transaction, corresponding to: Authorization – Funds debited from the Merchant account for an uncaptured authorization. Capture – Funds captured against an authorization using the Capture operation. Refund – Funds refunded against a previous Capture using the Refund operation. Debt – Funds debited from a Merchant account when the merchant does not have a sufficient balance to cover a refund. A-to-z Guarantee Claim – Funds debited from the Merchant account to resolve a consumer dispute filed with Amazon. Chargeback – Funds debited from the Merchant account to resolve a consumer dispute filed with their financial institution. Dispute – Funds debited from the Merchant account to initiate a dispute. Adjustments – A miscellaneous credit or debit made by Amazon to your account. Reserve – Funds held in your account to cover future refunds, A-to-z claims or chargebacks (see policy). Carryover – Undisbursed funds carried over from previous settlement periods. Transfer – Funds transferred by Amazon to your bank account. 	Yes	Alphanumeric, one of:	Capture

Field name	Description	Required	Data format	Example value
AmazonOrderReferenceId	Amazon-designated identifier for the Order Reference this transaction is associated with. A unique AmazonOrderReferenceld is provided to you when a buyer clicks the "Amazon Pay" button and signs in using Amazon username and password, or when loading one of the widgets. This Id can be associated with multiple transactions.	Conditional. Only present for the following TransactionType values: Capture Refund A-to-z Guarantee Claim Chargeback Authorization Dispute	Alphanumeric	P12-4323454- 0987678
SellerOrderId	Merchant-specified Id for the Order Reference this transaction is associated with. This corresponds to the SellerOrderId specified in the SetOrderReferenceDetails operation. This Id can be associated with multiple transactions.	Conditional. Only present for the following TransactionType values if specified by the merchant: Capture Refund A-to-z Guarantee Claim Chargeback Authorization Dispute	Alphanumeric	OALP1234

Field name	Description	Required	Data format	Example value
StoreName	Merchant-specified name of the store associated with the Order. This corresponds to the StoreName specified in the SetOrderReferenceDetails operation. This Id can be associated with multiple transactions.	Conditional. Only present for the following TransactionType values if specified by the merchant: Capture Refund A-to-z Guarantee Claim Chargeback Authorization Dispute	Alphanumeric	Court and Cherry, Inc.
CurrencyCode	Currency of the transaction.	Yes	Alphanumeric (ISO 4217 standard), one of: USD EUR GBP	USD

Field name	Description	Required	Data format	Example value
TransactionDescription	Merchant's or Amazon's description of the transaction. For Capture and Refund TransactionType values, this corresponds to the optional SellerNote parameter in the API. For all other TransactionType values, this is a human readable field set by Amazon, which may change from time to time.	Conditional. Only present for the following TransactionType values if specified by the merchant: Capture Refund Present for the following TransactionType values as determined by Amazon: A-to-z Guarantee Claim Chargeback Dispute Adjustment Reserve Carryover Transfer	Alphanumeric	Charge for Blue Sweater.

Field name	Description	Required	Data format	Example value
Field name TransactionAmount	Amount of the transaction that is credited or debited to your Merchant account. • Authorizations are debits to your account for uncaptured authorizations. • Captures are credits to your account. • Refunds are debits to your account. • A-to-z Claims and Chargebacks can be credits or debits to your account. • Disputes are debits to your	Required Yes	Data format Numeric	1,000.00
	account.			
	 Adjustments may be credits or 			

Field name	Description	Required	Data format	Example value
TransactionPercentageFee	Amazon's percentage fee (also referred to as a processing fee) associated with the transaction. See our Fee Schedule for more information. Fees: Debited for Captures (including Cross Border fees if applicable) Credited for Refunds, A-to-z Claims, and Chargebacks Not assessed (zero) for Adjustments, Reserves or Carryovers and Transfers	Yes	Numeric	2.2
TransactionFixedFee	Amazon's fixed fee (also referred to as an authorization fee) associated with the transaction. See our Fee Schedule for more information. Fees: Debited for uncaptured Authorizations, Captures, and Disputes Not assessed (zero) for Adjustments, Reserves or Carryovers and Transfers	Yes	Numeric	1.2

Field name	Description	Required	Data format	Example value
TotalTransactionFee	Sum of TransactionPercentageFee and TransactionFixedFee.	Yes	Numeric	3.4
NetTransactionAmount	Total amount credited or debited to your account. This is equal to the TransactionAmount less the TransactionFee.	Yes	Numeric	96.85

Transaction report details

A transaction report provides a list of Amazon objects that were either created, confirmed (in the case of an Order Reference object), or updated due to state change during the reporting period.

We provide four separate reports corresponding to each payment object:

- Order Reference
- Authorization
- Capture Data
- Refund Data

These reports are generated each day, for the preceding day, if at least one payment object was created or modified during the reporting period.

For more information about states of payment objects see the Amazon Pay API reference guide.

Manually requesting reports

You can manually download settlement and transaction reports from Seller Central:

- Settlement reports: click **Payments** from the **Reports** menu.
- Transaction reports: click Payments Advanced Transactions from the Reports menu.

Note that manually requested reports will also be returned in the response of GetReportRequestList operation in Step 1.

Using the Amazon Merchant Transport Utility for downloading reports

The Amazon Merchant Transport Utility ("AMTU") is designed to make receiving reports from Amazon as simple as possible. AMTU runs automatically behind the scenes, retrieving your reports as they become available.

AMTU is available to all merchants, and can be used in addition to other methods of obtaining reports. If you are already using AMTU for downloading Selling on Amazon reports, please be aware that you must upgrade to the newest version of AMTU in order to get the support for Amazon Pay reports. With version 2.4 and above, you can download the reports for both Amazon Marketplace and Amazon Pay with the same AMTU client. For detailed instructions and system requirement information, see the AMTU (File Transport Utility) Help content on Amazon.com, and the AMTU User Guide.

Missing or misdated reports

In some cases a downloaded report may have a date that differs from the reported generation date in Step 1, or a report may appear to be missing. This could be a result of one of the following:

- If there are no transactions for a day, report generation for that day is skipped.
- In rare cases, the generation of a report may be delayed, sometimes as long as 24 hours. This will result in report having a different date than the report generation date.

If you find that the report date is different than the report generation date, the generated reports, produced in Step 1, can be further filtered by the date and time of the data to be reported. Each generated report listed contains a **StartDate** and **EndDate**, in the **ReportRequestInfo** element, that specify the date and time range of data elements contained in a report. Note that the maximum date range is 30 days.

This is a sample response from the GetReportRequestList operation, showing the **StartDate** and **EndDate** range for filtering generated reports by the data date range.

```
<?xml version="1.0" encoding="UTF-8"?>
<GetReportRequestListResponse xmlns="http://mws.amazonaws.com/doc/2009-01-01/">
<GetReportRequestListResult>
 <NextToken />
 <HasNext>false</HasNext>
 <ReportRequestInfo>
  <ReportRequestId>7332234344</ReportRequestId>
  <ReportType>
    _GET_FLAT_FILE_OFFAMAZONPAYMENTS_SETTLEMENT_DATA_
  </ReportType>
  <StartDate>2015-06-13T00:00:18+00:00</StartDate>
  <EndDate>2015-06-14T00:00:18+00:00</EndDate>
  <Scheduled>false</Scheduled>
  <SubmittedDate>2015-06-14T01:13:34+00:00</SubmittedDate>
  <ReportProcessingStatus> DONE </ReportProcessingStatus>
  <GeneratedReportId>11162090683</GeneratedReportId>
  <StartedProcessingDate>
   2015-06-14T01:13:42+00:00
  </StartedProcessingDate>
  <CompletedDate>2015-06-14T01:13:44+00:00</CompletedDate>
 </ReportRequestInfo>
 </GetReportRequestListResult>
<ResponseMetadata>
 <RequestId>233c5966-6fa6-4ea9-8969-2a8b7a7c7326</RequestId>
</ResponseMetadata>
</GetReportRequestListResponse>
```

Downloading reports via Amazon MWS Reports API section

Amazon reports are accessible through Amazon MWS using the Reports API section.

General information can be found in the <u>Amazon MWS Reports API Reference Guide</u> and the <u>Amazon MWS Developer Guide</u>.

To download reports via the Amazon MWS API Reports API section, perform the following steps:

- 1. Get a list of generated reports.
- 2. Filter the request list (optional).
- 3. Download a report.
- 4. Acknowledge downloaded reports (optional).

Step 1: Get a list of generated reports

Amazon Pay auto-generates reports daily for the previous 24 hours' activity:

- Settlement reports are generated when a settlement takes place (24 hours after the first capture, or if requested, at a fixed time).
- Transaction reports are generated at midnight.

The start time for the report generation may vary by a few minutes past the hour.

Before you download a report, you need to ensure that Amazon generated a report for your intended date range. To do this, make a call to the <code>GetReportRequestList</code> operation of the Amazon MWS Reports API. The response to this call will contain a list of **ReportRequestId** values for each report generated.

Request parameters

Here are the valid request parameters for making a call to the <code>GetReportRequestId</code> operation:

structured st of	Default: All
st of	
	Type: xs:string
eportType	
	Required: No
alues.	Settlement Report
	_GET_FLAT_FILE_OFFAMAZONPAYMENTS_SETTLEMENT_DATA_
	Order Reference Report
	_GET_FLAT_FILE_OFFAMAZONPAYMENTS_ORDER_REFERENCE_DA
	<i>TA_</i>
	Authorization Report
	_GET_FLAT_FILE_OFFAMAZONPAYMENTS_AUTHORIZATION_DATA
	– Capture Report
	_GET_FLAT_FILE_OFFAMAZONPAYMENTS_CAPTURE_DATA_
	Refund Report
	_GET_FLAT_FILE_OFFAMAZONPAYMENTS_REFUND_DATA_
	Note that the settlement and transaction reports are formatted as
	a comma separated value (CSV) flat file format.
ne start date	Default: 90 days ago
or the	
	Required: No
eriou.	Example: 2015-06-12T00:00:00+00:00
n al propriet	umeration lues. e start date

Parameter	Description	Values
RequestedToDate	The end date	Default: Now
	for the reporting	Type: xs:dateTime
	period.	Required: No
		Example: 2015-06-14T23:59:59+00:00
ReportProcessing	A structured	Default: All
StatusList	list of report statuses by	Type: xs:string
	which to filter report	Required: No
	requests.	Receive reports that have been processed. This filters out blank reports.
		DONE
		Retrieve blank reports generated when no data is found. Use this to confirm a missing report is due to no data to report.
		_DONE_NO_DATA_

For more information about the request parameters that are required for all Amazon MWS operations, see <u>Required request parameters</u> in the *Amazon MWS Developer Guide*.

A sample GetReportRequestList API request:

https://mws.amazonservices.com

?Marketplace=AGWSWK15IEJJ7

&Merchant=YOUR_SELLER_ID_HERE

&SignatureMethod=HmacSHA256

&Action=**GetReportRequestList**

&ReportTypeList.Type.1=_GET_FLAT_FILE_OFFAMAZONPAYMENTS_SETTLEMENT_DATA_

& Requested From Date = 2015-06-12T00:00:00+00:00

&RequestedToDate=2015-06-14T23:59:59+00:00

& Report Processing Status List. Status. 1 = _ DONE _

&AWSAccessKeyId=0GS7553JW74RRM612K02EXAMPLE

&Timestamp=2015-06-25T00%3A00%3A20.067Z

&Signature=6FkExuYt%2FWBZLg2CZVsFN5w3iYc0ruvmSE8zeb15Oh4%3D

&Version=2009-01-01

&SignatureVersion=2

The sample request above is for a list of **ReportRequestId** values resulting from Settlement reports generated between June 12, 2015, and June 14, 2015 (2015-06-12T00:00:00+00:00 to 2015-06-14T23:59:59+00:00 respectively). The response will list only **ReportRequestId** values for completed reports that contain data.

Sample response

The GetReportRequestList operation returns a ReportRequestId for each report generated that match your request parameters. Here is a sample response:

```
<?xml version="1.0" encoding="UTF-8"?>
<GetReportRequestListResponse xmlns="http://mws.amazonaws.com/doc/2009-01-01/">
<GetReportRequestListResult>
 <NextToken />
 <HasNext>false</HasNext>
 <ReportRequestInfo>
  <ReportRequestId>7332234344</ReportRequestId>
  <ReportType>
   GET FLAT FILE OFFAMAZONPAYMENTS SETTLEMENT DATA
  </ReportType>
  <StartDate>2015-06-13T00:00:18+00:00</StartDate>
  <EndDate>2015-06-14T00:00:18+00:00</EndDate>
  <Scheduled>false</Scheduled>
  <SubmittedDate>2015-06-14T01:13:34+00:00</SubmittedDate>
  <ReportProcessingStatus>_DONE_</ReportProcessingStatus>
  <GeneratedReportId>11162090683</GeneratedReportId>
  <StartedProcessingDate>
   2015-06-14T01:13:42+00:00
  </StartedProcessingDate>
  <CompletedDate>2015-06-14T01:13:44+00:00</CompletedDate>
 </ReportRequestInfo>
 <ReportRequestInfo>
  <ReportRequestId>7325420826</ReportRequestId>
  <ReportType>
    _GET_FLAT_FILE_OFFAMAZONPAYMENTS_SETTLEMENT_DATA_
  </ReportType>
  <StartDate>2015-06-12T00:00:19+00:00</StartDate>
  <EndDate>2015-06-13T00:00:18+00:00</EndDate>
  <Scheduled>false</Scheduled>
  <SubmittedDate>2015-06-13T01:14:34+00:00</SubmittedDate>
  <ReportProcessingStatus> DONE </ReportProcessingStatus>
  <GeneratedReportId>11145931523</GeneratedReportId>
  <StartedProcessingDate>
   2015-06-13T01:14:44+00:00
  </StartedProcessingDate>
  <CompletedDate>2015-06-13T01:14:44+00:00</CompletedDate>
 </ReportRequestInfo>
  <ReportRequestInfo>
  <ReportRequestId>7318485518</ReportRequestId>
  <ReportType>
   GET FLAT FILE OFFAMAZONPAYMENTS SETTLEMENT DATA
  </ReportType>
  <StartDate>2015-06-11T00:00:16+00:00</StartDate>
  <EndDate>2015-06-12T00:00:19+00:00</EndDate>
  <Scheduled>false</Scheduled>
  <SubmittedDate>2015-06-12T01:14:38+00:00</SubmittedDate>
  <ReportProcessingStatus>_DONE_</ReportProcessingStatus>
  <GeneratedReportId>11129389963</GeneratedReportId>
  <StartedProcessingDate>
   2015-06-12T01:15:02+00:00
  </StartedProcessingDate>
```

```
<CompletedDate>2015-06-12T01:15:04+00:00</CompletedDate></ReportRequestInfo>
```

- </GetReportRequestListResult>
- <ResponseMetadata>
- <RequestId>233c5966-6fa6-4ea9-8969-2a8b7a7c7326</RequestId>
- </ResponseMetadata>
- </GetReportRequestListResponse>

In some cases, the report requests that are returned may not be for your intended date range, or you may not see the report you expect to see. For more information, see Missing or misdated reports.

Step 2: Filter the request list (optional)

The report produced in Step 1 may return more than one **ReportRequestId**. It is possible that one or more of these reports may have been previously downloaded and then marked as acknowledged to indicate it was received.

If you want to download a report for all of the **ReportRequestId** values that were returned, you can skip this Step and proceed to <u>Step 3: Download a report</u>.

To select only the reports that have not been acknowledged, submit the **ReportRequestId** values from the report produced in Step 1 in a call to the <code>GetReportList</code> operation of the MWS API Reports section. The <code>GetReportList</code> returns a report with the acknowledge status for each **ReportRequestId**. You then download only the reports that have not been acknowledged in Step 3: Download a report.

Request parameters

Here are the valid parameters for making a call to the GetReportList operation:

Parameter	Description	Values
ReportRequestIdList	A structured list of ReportRequestId values. If you pass in ReportRequestId values, other query conditions are	Default: All Type: xs:string
	ignored.	Required: No

For more information about the request parameters that are required for all Amazon MWS operations, see Required request parameters in the *Amazon MWS Developer Guide*.

A sample GetReportList API request:

```
https://mws.amazonservices.com
? Marketplace=AGWSWK15IEJJ7
&Action=GetReportList
&SignatureMethod=HmacSHA256
&Merchant=YOUR_SELLER_ID_HERE
&AWSAccessKeyId=0GS7553JW74RRM612K02EXAMPLE
&SignatureVersion=2
```

```
&Version=2009-01-01
&ReportRequestIdList.Id.1=7332234344
&ReportRequestIdList.Id.2=7325420826
&ReportRequestIdList.Id.3=7318485518
&Signature=AkuNQk40AIRxFIkibqSoovAv7ispy2odbNTytUdiQ44%3D
&Timestamp=2015-06-25T17%3A23%3A47.707Z
```

Sample response

The GetReportList operation returns the acknowledged status for each report ReportRequestId that you submitted. Here is a sample response:

```
<?xml version="1.0" encoding="UTF-8"?>
<GetReportListResponse xmlns="http://mws.amazonaws.com/doc/2009-01-01/">
<GetReportListResult>
 <NextToken />
 <HasNext>false</HasNext>
 <ReportInfo>
  <ReportId>11162090683</ReportId>
  <ReportType>
   _GET_FLAT_FILE_OFFAMAZONPAYMENTS_SETTLEMENT_DATA_
  </ReportType>
  <ReportRequestId>7332234344</ReportRequestId>
  <AvailableDate>2015-06-14T01:13:44+00:00</AvailableDate>
  <Acknowledged>false</Acknowledged>
 </ReportInfo>
 <ReportInfo>
  <ReportId>11145931523</ReportId>
  <ReportType>
    _GET_FLAT_FILE_OFFAMAZONPAYMENTS_SETTLEMENT_DATA_
  </ReportType>
  <ReportRequestId>7325420826</ReportRequestId>
  <AvailableDate>2015-06-13T01:14:44+00:00</AvailableDate>
  <Acknowledged>false</Acknowledged>
 </ReportInfo>
  <ReportInfo>
  <ReportId>11129389963</ReportId>
  <ReportType>
   _GET_FLAT_FILE_OFFAMAZONPAYMENTS_SETTLEMENT_DATA
  </ReportType>
  <ReportRequestId>7318485518</ReportRequestId>
  <AvailableDate>2015-06-12T01:15:04+00:00</AvailableDate>
  <Acknowledged>true</Acknowledged>
  <AcknowledgedDate>2015-06-25T00:21:19+00:00</AcknowledgedDate>
 </ReportInfo>
 </GetReportListResult>
<ResponseMetadata>
 <RequestId>3ab5de7d-4e16-4631-8572-5ed190954f8b</RequestId>
</ResponseMetadata>
</GetReportListResponse>
```

In this sample response, each **ReportInfo** contains a **ReportId** element, and **Acknowledged** element. If the **Acknowledged** status is **true** for a report, this report has been previously downloaded and acknowledged. For more information about acknowledging reports, see Step 4: Acknowledge downloaded reports.

Step 3: Download a report

Download a Settlement or Transaction report by submitting a **ReportId**, from the report produced in <u>Step 2: Filter the request list</u>, in a call to the GetReport operation of the MWS API Reports section.

If you skipped step 2, you can submit a **GeneratedReportId**, which can be found in the report produced in Step 1: Get a list of generated reports.

Request parameters

Here are the valid request parameters for making a call to the GetReport operation:

Parameter	Description	Values
ReportId	A unique identifier of the report to download. Use either: ReportId, obtained from a GetReportList call in Step 2. GeneratedReportId, obtained from a GetReportRequestList call in Step 1.	Default: All Type: xs:string Required: No

For more information about the request parameters that are required for all Amazon MWS operations, see Required request parameters in the *Amazon MWS Developer Guide*.

```
https://mws.amazonservices.com
? Marketplace=AGWSWK15IEJJ7
&ReportId=11162090683
&Action=GetReport
&SignatureMethod=HmacSHA256
&Merchant=YOUR_SELLER_ID_HERE
&AWSAccessKeyId=0GS7553JW74RRM612K02EXAMPLE
&SignatureVersion=2
&Version=2009-01-01
&Signature=Jjg9PkoWET5jGlTyXARgfKp0xNLLxB1MCeq8JyVeAkM%3D
&Timestamp=2015-06-25T00%3A40%3A50.458Z
```

The response to the GetReport call is the content of the report document.

Step 4: Acknowledge downloaded reports (optional)

To keep track of which reports you have already downloaded, it is a good practice to acknowledge reports after you have received and stored them successfully to avoid duplicate downloads.

To mark a report as acknowledged, make a call to the <code>UpdateReportAcknowledgements</code> operation of Amazon MWS Reports section. In the request, add the <code>ReportId</code> of the downloaded reports to the <code>ReportIdList</code> parameter and set <code>Acknowledged</code> parameter to <code>true</code>.

Request parameters

Here are the valid request parameters for making a call to the <code>UpdateReportAcknowledgements</code> operation:

Parameter	Description	Values
ReportIdList	A structured list of ReportId values. The maximum number of reports that can be specified is 100.	Default: none Type: xs:string
	300.000 0,000.000	Required: Yes
Acknowledged	A Boolean value that indicates you have received and stored a report.	Default: All Type: xs:boolean
		Required: No
		true The report has been received.false The report has not been received.

For more information about the request parameters that are required for all Amazon MWS operations, see <u>Required request parameters</u> in the *Amazon MWS Developer Guide*.

Here is a sample UpdateReportAcknowledgements API request:

https://mws.amazonservices.com

? Marketplace=AGWSWK15IEJJ7

&Action=UpdateReportAcknowledgements

&SignatureMethod=HmacSHA256

&ReportIdList.Id.1=11162090683

&ReportIdList.Id.2=11145931523

&Acknowledged=true

&Merchant=YOUR SELLER ID HERE

&AWSAccessKeyId=0GS7553JW74RRM612K02EXAMPLE

&SignatureVersion=2

&Version=2009-01-01

&Signature=6JIUq%2BE9ZEfhdNAHffgvPEjiX6oHKHOqJOqziM5ztsI%3D

&Timestamp=2015-06-25T19%3A14%3A14.201Z

Sample response

The <code>UpdateReportAcknowledgements</code> operation returns a <code>Count</code> of the number of report requests, and the <code>Acknowledged</code> status for each report <code>ReportIdList</code> that you submitted.

Here is a sample response:

```
<?xml version="1.0" encoding="UTF-8"?>
<UpdateReportAcknowledgementsResponse xmlns="http://mws.amazonaws.com/doc/2009-01-01/">
<UpdateReportAcknowledgementsResult>
 <Count>2</Count>
 <ReportInfo>
  <ReportId>11162090683</ReportId>
  <ReportType>
   GET FLAT FILE OFFAMAZONPAYMENTS SETTLEMENT DATA
  </ReportType>
  <ReportRequestId>7332234344</ReportRequestId>
  <AvailableDate>2015-06-14T01:13:44+00:00</AvailableDate>
  <Acknowledged>true</Acknowledged>
  <AcknowledgedDate>2015-06-25T19:14:15+00:00</AcknowledgedDate>
 </ReportInfo>
 <ReportInfo>
  <ReportId>11145931523</ReportId>
  <ReportType>
    _GET_FLAT_FILE_OFFAMAZONPAYMENTS_SETTLEMENT_DATA_
  </ReportType>
  <ReportRequestId>7325420826</ReportRequestId>
  <AvailableDate>2015-06-13T01:14:44+00:00</AvailableDate>
  <Acknowledged>true</Acknowledged>
  <AcknowledgedDate>2015-06-25T19:14:15+00:00</AcknowledgedDate>
 </ReportInfo>
</UpdateReportAcknowledgementsResult>
<ResponseMetadata>
 <RequestId>26c13d35-c774-4668-9e6a-76328fbf2d63</RequestId>
</ResponseMetadata>
</UpdateReportAcknowledgementsResponse>
```

For additional information

If you have questions, please Contact Us.